



A cost-efficient option

Whatever the case, whether you want to have your exi- We always have a number of older machine types in sting Bihler system overhauled or decide to purchase a stock at our plant in Füssen. We can modernize and completely modernized machine - overhauled machines overhaul them on request - also on-site at your facility. from Bihler are always a particularly economical and su- Our experts will design the entire process specifically stainable alternative. They are equipped with state-of-the- for your system and ensure rapid installation and comart machine and control technology and offer the same missioning at your facility high-quality standards as new machines - with a factory



Here are just some of the benefits of these upgrades:

- Machine performance and accuracy are restored
- Mechanical and electrical systems are overhauled (Partial reconditioning is available, even on-site)
- Reconditioning is done to the very highest quality standards by Bihler experts
- Only Bihler original spare parts are used
- Machines are fitted with the latest Bihler VC 1E controller technology
- Start-up is done on your premises
- Machines are CE compliant, with optional full enclosure providing noise and operator protection
- Excellent price-performance ratio
- 12-month manufacturer's warranty
- Customized support: fast spare parts service, comprehensive support and training, maintenance and repair service



Complete reconditioning includes:

- Dismantling
- Full cleaning
- Sandblasting and priming
- New pipe work and wiring
- Reconditioning of all modules feed, press, slide, central mandrel, etc.
- Assembly of drive unit
- Repainting
- Final assembly of machine and wiring
- Test run, and machine acceptance



CE compliance with optional full enclosure for noise and operator protection.





Leading-edge control technology

The Bihler process control VariControl VC 1E improves the performance of your used machine, offering userfriendly operation and programming of individual input and output modules, via the 15 TFT touchscreen and other operating controls.

The VC 1E can control up to 6 NC axes. If required, the control unit can be expanded by a maximum of 16 analog measuring channels, enabling you to access new production potential, and to increase process reliability significantly.

Current offers

Browse reconditioned Bihler machines and peripherals that are currently available at our website.

Otto Bihler Maschinenfabrik GmbH & Co. KG Lechbrucker Str. 15 87642 Halblech GERMANY

Tel.: +49(0)8368/18-118 Fax: +49(0)8368/18-105 used.machines@bihler.de

www.bihler.de